MOBILE COLUMN LIFTS

MD HD

Our Mobile Columns provide the flexibility and convenience to lift any rubber-tired vehicle, within rated capacity, **without the need for pits, cables or compressed air.**

NEW!



MODEL # CLMM-5000

5K MEDIUM-DUTY

MODEL # CLMM-5000

FULL SPECIFICATIONS PG. 29

Capable of lifting 20,000 lbs. on any solid surface. Built with heavy-duty tow handles and spring-loaded, caster wheels. These mobile columns are perfect for servicing EVs.

REQUIREMENTS

- 14'8" MINIMUM
- 14' RECOMMENDED
- 28' RECOMMENDED
- 110V FOR CHARGING

12.5K EXTENDED FORKS

MODEL # CLHM-125-XF

FULL SPECIFICATIONS PG. 29

These lifts offer a versatile, scalable, and efficient solution to vehicle lifting operations with a 12,500 lbs. capacity per column. The standard 22" forks allow for full tire engagement on vehicles with recessed wheels or dual tires and accommodates wheel diameter from 5"-24.5".

A maximum of eight lifts work in tandem or used in combination with our 14K/19K models.

REQUIREMENTS

- 14'8" MINIMUM
- 14' RECOMMENDED
- 28' RECOMMENDED
- 110V FOR CHARGING



MODEL # CLHM-125-XF

14 & 19K HEAVY-DUTY

MODEL # CLHM-140, CLHM-190, CLHM-190W
FULL SPECIFICATIONS PG. 25

Our HD Mobile Columns are capable of lifting vehicles of any axle length or wheelbase up to **14,000 or 19,000 lbs. per column** on any solid surface.

Built with a heavy-duty tow handle for comfortable maneuverability.

LIFT ANY 2-, 3-, OR 4-AXLE RUBBER-TIRE VEHICLE
UP TO 152,000 LBS.
WITH 8 HD COLUMNS CONNECTED



INTEGRATED TOUCH SCREEN
CONTROL CONSOLE AT EACH COLUMN



MODEL # CLHM-140

REQUIREMENTS

- 14'8" MINIMUM
- 14' RECOMMENDED
- 28' RECOMMENDED
- 110V FOR CHARGING

CONNECT UP TO 8 HD COLUMNS WIRELESSLY.

HEAVY-DUTY WHEEL LIFTS

MODEL # CLHM-MR20, CLHM-MR30, AND CLHM-MR40
FULL SPECIFICATIONS PG. 30

Capable of lifting 20, 30, or 40,000 lbs. per pair, expect years of worry- and maintenance-free lifting with this air-operated system.

Comprised of two individual lifts, the pair work to lift one end of a vehicle at a time. **Perfect for low ceiling shops, significant component removal, and eliminating the need to remove aerodynamic body panels from vehicles.**

MODEL # CLHM-MR30



REQUIREMENTS

- 14'8" MINIMUM
- 12'3" RECOMMENDED
- 28' RECOMMENDED

HEAVY-DUTY ADAPTERS

Designed to help your technicians **service vehicle types, like forklifts & multiple rear-axle,** more efficiently.

NOT COMPATIBLE WITH CLMM-5000 OR CLHM-125-XF.




WING PLOW ADAPTER
PART # CLHM-SP-240

24K lbs. capacity adapter for vehicles with components that could obstruct the column lift.



CROSS-BEAM ADAPTER
PART # CLHM-CB-32A

32K lbs. capacity adapter to lift heavy-duty vehicles by the frame rails.



FORK LIFT ADAPTER
PART # CLHM-FLA

15K lbs. capacity adapter to raise fork lifts 64".



LOW-PROFILE END LIFT ADAPTER
PART # CLHM-EL90-LP

For CLHM Series



CAB-OFF ADAPTER
PART # CLHM-CA-15
For CLHM190 / CLHM140


PART # 957-00036
For CLMM5000

Adjustable length adapter to lift cabs off 2- and 4-door truck frames.



REAR AXLE RESTRAINT
PART # CLHM-RAR-20

2K lbs. capacity restraint multiple rear axle vehicles, to support unengaged axle.



LOW PROFILE CROSSBEAM
PART # CLHM-15-CB

9K lbs. capacity adapter to lift vehicles by the frame.



ADAPTER STORAGE CART
PART # CLHM-CART

Mobile cart to store adapters.

ADDITIONAL UPGRADES



MAGNETIC LIGHT KIT
PART # CLHM-LS-LK

Two magnetic lights that are powered by the mobile column.



GLARE SCREEN
PART # CLHM-GS

Reduces glare and protects the screen from worksite dirt.

PROTECTIVE COVER
PART # CLHM-CVR-F **(Full)**
PART # CLHM-CVR-H **(Half)**

Sold individually.





SHOP EQUIPMENT

Challenger Lifts offers a wide range of shop equipment to meet your needs. Our products are made from high-quality materials, ensuring durability, and are sure to meet your needs and exceed your expectations.



ENGINE STAND
PART # CLHM-ES-2000
2K lbs. capacity, adjustable platform, 360°-rotation locking wheels.



DISC BRAKE DOLLY
PART # CLHM-200
One-person operation for removing calipers and disc brake hubs.



TRANSMISSION JACK
PART # CLHM-HTJ-2000
2.7K lbs. capacity, 72" max height, 360° rotating head, retractable tow handle.



CLHM BUMPER JACK
PART # CLHM-BL20B
20K lbs. capacity, raises one end of vehicle for reliable work.



DIFFERENTIAL ADADPTER
PART # CLHM-HD-DA
Heavy-duty adapters for use with CLHM-HTCJ-2000.



SHOP CRANE
PART # CLHM-SC-220
2.2K lbs. capacity, folds for compact storage.



F550 WHEEL END ADAPTER
PART # CLHM-F550
Adapter for Ford® F550 Model Trucks; for use with CLHM-200.



TRANS JACK ADAPTER
PART # CLHM-90
Adapter for easy removal of transmission, for use with CLHM-HTJ-1000.

SUPPORT STANDS



HIGH-RISE STAND W/GAS ASSIST
PART # CLHM-4-THR
53"-72" total adjustment, 8k lbs. capacity each, sold individually



HIGH-RISE STAND W/GAS ASSIST
PART # CLHM-7-THR
53"-72" total adjustment, 14k lbs. capacity each, sold individually



HIGH-RISE STAND W/GAS ASSIST
PART # CLHM-10-THR
49"-83" total adjustment, 20k lbs. capacity each, sold individually



MEDIUM STAND
PART # CLHM-10-THF
30"-52" total adjustment, 20k lbs. capacity each, sold in sets of 2



SHORT STAND
PART # CLHM-10-TH
20"-32" total adjustment, 20k lbs. capacity each, sold in sets of 2